

Contents of *Aquaculture*, Volume 272

VOL. 272 NOS. 1–4

26 November 2007

Review Articles

- Developments in controlled green-water larval culture technologies for estuarine fishes in Queensland, Australia and elsewhere
P.J. Palmer, M.J. Burke, C.J. Palmer and J.B. Burke (Woorim, Queensland, Australia). 1
- Candidate growth genes in finfish — Where should we be looking?
C. De-Santis and D.R. Jerry (Townsville, Queensland, Australia). 22
- Is methyl farnesoate a crustacean hormone?
G.P.C. Nagaraju (Orlando, Florida, United States of America; Changhua, Taiwan; Tirupati, India) 39
- Compositional and organoleptic quality of farmed and wild gilthead sea bream (*Sparus aurata*) and sea bass (*Dicentrarchus labrax*) and factors affecting it: A review
K. Grigorakis (Athens, Greece) 55
- Possible roles of sex steroids in the control of reproduction in bivalve molluscs
R.P. Croll and C. Wang (Halifax, Nova Scotia, Canada; Qingdao, China). 76

Diseases

- Acute salinity stress alters the haemolymph metabolic profile of *Penaeus monodon* and reduces immunocompetence to white spot syndrome virus infection
A. Joseph and R. Philip (Cochin, India) 87
- Isolation and characterization of outer membrane proteins of *Edwardsiella tarda* and its application in immunoassays
G. Kumar, G. Rathore (Lucknow, India), U. Sengupta (Agra, India), V. Singh, D. Kapoor and W.S. Lakra (Lucknow, India). 98
- Detection of major bacterial and viral pathogens in trash fish used to feed cultured flounder in Korea
J.H. Kim, D.K. Gomez, C.H. Choresca Jr. and S.C. Park (Seoul, Republic of Korea) 105
- Genetic analysis of resistance to infectious pancreatic necrosis in Atlantic salmon (*Salmo salar* L.)
M. Wetten, T. Aasmundstad, S. Kjølglum and A. Storset (Trondheim, Norway). 111
- The advantages of the use of discs containing single agents in disc diffusion testing of the susceptibility of *Aeromonas salmonicida* to potentiated sulphonamides
I. Douglas, N.M. Ruane, M. Geary, C. Carroll, G.T.A. Fleming, J. McMurray and P. Smith (Galway, Ireland) 118
- Primers for PCR-based detection of ostreid herpes virus-1 (OsHV-1): Application in a survey of New Zealand molluscs
S.C. Webb, A. Fidler (Nelson, New Zealand) and T. Renault (La Tremblade, France) 126
- Pharmacokinetics and residue elimination of oxytetracycline in grass carp, *Ctenopharyngodon idellus*
Q. Zhang (Chongqing, Guangzhou, PR China) and X. Li (Chongqing, PR China). 140
- Genomic structure of the Nile tilapia (*Oreochromis niloticus*) transferrin gene and a haplotype associated with saltwater tolerance
A.H. Rengmark and F. Lingaas (Oslo, Norway). 146
- Application of normalised resistance interpretation to disc diffusion data on the susceptibility of *Aeromonas salmonicida* to three quinolone agents
N.M. Ruane, I. Douglas, M. Geary, C. Carroll, G.T.A. Fleming and P. Smith (Galway, Ireland) 156
- Impact of inter-lab variation on the estimation of epidemiological cut-off values for disc diffusion susceptibility test data for *Aeromonas salmonicida*
P. Smith, N.M. Ruane, I. Douglas, C. Carroll (Galway, Ireland), G. Kronvall (Stockholm, Sweden) and G.T.A. Fleming (Galway, Ireland). . . 168
- Pharmacokinetics and tissue distribution of enrofloxacin and its metabolite ciprofloxacin in *Scylla serrata* following oral gavage at two salinities
W.-h. Fang, S. Zhou, H.-j. Yu, L.-l. Hu, K. Zhou and S.-c. Liang (Shanghai, China). 180
- Polyculture of green mussels, brown mussels and oysters with shrimp control luminous bacterial disease in a simulated culture system
E.A. Tendencia (Iloilo, Philippines) 188
- Residue depletion of tritium-labeled ivermectin in rainbow trout following oral administration
B. Shaikh, N. Rummel, C. Gieseker, P.-S. Chu and R. Reimschuessel (Laurel Maryland, United States). 192

Cloning, characterization and expression analysis of a CXCL10-like chemokine from turbot (<i>Scophthalmus maximus</i>)	
Y. Liu, S.-L. Chen, L. Meng and Y.-X. Zhang (Qingdao, China)	199
Discovery of genes involved in defense/immunity functions in a haemocytes cDNA library from <i>Fenneropenaeus chinensis</i> by ESTs annotation	
B. Dong and J.-H. Xiang (Qingdao, China)	208
Neutralizing assay of monoclonal antibodies against white spot syndrome virus (WSSV)	
Y.-s. Jiang, W.-b. Zhan and X.-z. Sheng (Qingdao, PR China)	216
Application of Normalised Resistance Interpretation to the detection of multiple low-level resistance in strains of <i>Vibrio anguillarum</i> obtained from Greek fish farms	
P. Smith (Galway, Ireland) and P. Christofilogiannis (Athens, Greece)	223
Selection of probiotics by various inhibition test methods for use in the culture of western king prawns, <i>Penaeus latissulcatus</i> (Kishinouye)	
N. Van Hai, R. Fotedar (Bentley, Western Australia, Australia) and N. Buller (South Perth, Western Australia, Australia)	231
The effect of raising water temperature to 33 °C in <i>Penaeus vannamei</i> juveniles at different stages of infection with white spot syndrome virus (WSSV)	
M.M. Rahman (Gent, Merelbeke, Belgium), M. Corteel (Merelbeke, Belgium), M. Wille (Gent, Belgium), V. Alday-Sanz (Nivelles, Belgium), M.B. Pensaert (Merelbeke, Belgium), P. Sorgeloos (Gent, Belgium) and H.J. Nauwynck (Merelbeke, Belgium)	240
Antiviral activity of recombinant lysozyme expressed from black tiger shrimp, <i>Penaeus monodon</i>	
A. Tyagi, R. Khushiramani, I. Karunasagar and I. Karunasagar (Mangalore, India)	246
Genetics	
Effects of parental and smolt traits on the marine survival of released Atlantic salmon (<i>Salmo salar</i>)	
I. Kallio-Nyberg (Vaasa, Finland), I. Saloniemi (Turku, Finland) and M.-L. Koljonen (Helsinki, Finland)	254
Genetic effects and genotype × environment interactions for growth-related traits in common carp, <i>Cyprinus carpio</i> L.	
C.-h. Wang and S.-f. Li (China)	267
Evaluation of the growth and heterosis of hybrids among three commercially important sea urchins in China: <i>Strongylocentrotus nudus</i> , <i>S. intermedius</i> and <i>Anthocardia crassispina</i>	
J. Ding, Y. Chang, C. Wang and X. Cao (Dalian, China)	273
Genetic mapping of size-related quantitative trait loci (QTL) in the bay scallop (<i>Argopecten irradians</i>) using AFLP and microsatellite markers	
Y. Qin, X. Liu, H. Zhang, G. Zhang (Qingdao, China) and X. Guo (Port Norris, NJ, USA)	281
Marker-assisted breeding of a lymphocystis disease-resistant Japanese flounder (<i>Paralichthys olivaceus</i>)	
K. Fuji (Tokyo, Japan), O. Hasegawa (Kanagawa, Japan), K. Honda, K. Kumasaka (Aichi, Japan), T. Sakamoto and N. Okamoto (Tokyo, Japan)	291
Husbandry and Management	
Simulating the effects of parameter uncertainty on waste model predictions of marine finfish aquaculture	
J. Chamberlain and D. Stucchi (Sidney, B.C., Canada)	296
Effects of tank colour and light intensity on feed intake, growth rate and energy expenditure of juvenile Eurasian perch, <i>Perca fluviatilis</i> L.	
Å. Strand, A. Alanärrä, F. Staffan and C. Magnhagen (Umeå, Sweden)	312
Characterisation of bacterial communities associated with early stages of intensively reared cod (<i>Gadus morhua</i>) using Denaturing Gradient Gel Electrophoresis (DGGE)	
L. Brunvold, R.-A. Sandaa (Bergen, Norway), H. Mikkelsen (Tromsø, Norway), E. Welde (Kvaløysletta, Norway), H. Bleie and Ø. Bergh (Bergen, Norway)	319
Seasonal variation in feed intake under constant temperature and natural photoperiod in the green sea urchin (<i>Strongylocentrotus droebachiensis</i>)	
S.I. Siikavuopio, J.S. Christiansen, B.-S. Sæther and T. Dale (Tromsø, Norway)	328
Growth performance and physiological response of African catfish, <i>Clarias gariepinus</i> (B.) fed organic selenium prior to the exposure to environmental copper toxicity	
M. Abdel-Tawwab, M.A.A. Mousa and F.E. Abbass (Abo-Hammad, Egypt)	335
Biochemical composition of zooplankton community grown in freshwater earthen ponds: Nutritional implication in nursery rearing of fish larvae and early juveniles	
G. Mitra, P.K. Mukhopadhyay (Orissa, India) and S. Ayyappan (New Delhi, India)	346
Calcium carbonate supersaturation and precipitation in Chinese mitten crab (<i>Eriocheir japonica sinensis</i>) larval ponds in China: mass mortality, crystal form analysis, and safety saturation index	
X. Li (Qingdao, Panjin, PR China), Y. Lei (Dalian, PR China), X. Gao (Stoneville, Mississippi, USA), C. Ma (Dalian, PR China) and S. Dong (Qingdao, PR China)	361
Risk factors for early sexual maturation in Atlantic salmon in seawater farms in New Brunswick and Nova Scotia, Canada	
C.A. McClure, K.L. Hammell (Charlottetown, PE, Canada), M. Moore (St. George, NB, Canada), I.R. Dohoo and H. Burnley (Charlottetown, PE, Canada)	370
Effects of feeding, stocking density and water-flow rate on fecundity, spawning frequency and egg quality of Nile tilapia, <i>Oreochromis niloticus</i> (L.)	
G.G. Tsadik and A.N. Bart (Klong Luang, Thailand)	380

Survivorship and growth of the sea cucumber <i>Australostichopus (Stichopus) mollis</i> (Hutton 1872) in polyculture trials with green-lipped mussel farms M.J. Slater and A.G. Carton (New Zealand)	389
Feeding farmed salmon: Is organic better? N. Pelletier and P. Tyedmers (Halifax, Nova Scotia, Canada)	399
Effect of temperature on growth and survival of <i>Crassostrea corteziensis</i> spat during late-nursery culturing at the hatchery J.I. Cáceres-Puig, F. Abasolo-Pacheco, J.M. Mazón-Suastegui, A.N. Maeda-Martínez and P.E. Saucedo (La Paz, Mexico)	417
Improving <i>Argopecten purpuratus</i> culture in northern Chile: Results from the study of larval and post-larval stages in relation to environmental forcing M.C. Silva (Antofagasta, Chile), G. Thouzeau (Plouzané, France) and M. Avendaño (Antofagasta, Chile)	423
Nutrition	
High growth efficiency occurs over a wide temperature range for juvenile barramundi <i>Lates calcarifer</i> fed a balanced diet R.S. Katersky and C.G. Carter (Launceston, Tasmania, Australia)	444
Dietary supplementation time with shrimp shell meal on red porgy (<i>Pagrus pagrus</i>) skin colour and carotenoid concentration C.T. Kalinowski, M.S. Izquierdo, D. Schuchardt and L.E. Robaina (Las Palmas, Spain)	451
Effects of dietary cellulose level on pellet quality and nutrient digestibilities in rainbow trout (<i>Oncorhynchus mykiss</i>) J.Ø. Hansen and T. Storebakken (Ås, Norway)	458
Replacement of fish meal with poultry by-product meal in practical diets for <i>Litopenaeus vannamei</i> , and digestibility of the tested ingredients and diets L.E. Cruz-Suárez, M. Nieto-López, C. Guajardo-Barbosa, M. Tapia-Salazar, U. Scholz and D. Ricque-Marie (Nuevo León, México)	466
Comparison of the lysine utilization efficiency in different plant protein sources supplemented with L-lysine·HCl in rainbow trout (<i>Oncorhynchus mykiss</i>) fry T.T. Nang Thu (Louvain-la-Neuve, Belgium; Hanoi, Vietnam), C. Parkouda (Louvain-la-Neuve, Belgium), S. de Saeger (Gent, Belgium), Y. Larondelle and X. Rollin (Louvain-la-Neuve, Belgium)	477
Influence of conjugated linoleic acid (CLA) or tetradecylthioacetic acid (TTA) on growth, lipid composition, fatty acid metabolism and lipid gene expression of rainbow trout (<i>Oncorhynchus mykiss</i> L.) S.R. Kennedy (Stirling, UK), R. Bickerdike (Scotland, UK), R.K. Berge (Bergen, Norway), J.R. Dick and D.R. Tocher (Stirling, UK)	489
Phospholipids vs. neutral lipids: Effects on digestive enzymes in Atlantic cod (<i>Gadus morhua</i>) larvae P.-A. Wold, K. Hoehne-Reitan (Trondheim, Norway), C.L. Cahu, J.Z. Infante (Plouzané, France), J. Rainuzzo and E. Kjorsvik (Trondheim, Norway)	502
Effect of feeding intensity and feed composition on nutrient digestibility and production performance of common pandora (<i>Pagellus erythrinus</i>) in sea cages K. Kousoulaki (Elliniko, Athens, Greece), E. Miliou (Iera Odos, Greece), M. Apostolopoulou (Athens, Greece) and M.N. Alexis (Elliniko, Greece)	514
Growth and economic profit of gilthead sea bream (<i>Sparus aurata</i> , L.) fed sunflower meal N.B. Sánchez Lozano, A. Tomás Vidal, S. Martínez-Llorens, S. Nogales Mérida, J.E. Blanco, A. Moñino López, M. Pla Torres and M.J. Cerdá (Spain)	528
Effect of dietary lipid level on growth performance, feed utilization and digestive enzyme of juvenile ivory shell, <i>Babylonia areolata</i> Q.-C. Zhou, J.-B. Zhou, S.-Y. Chi, Q.-H. Yang and C.-W. Liu (Zhanjiang, People's Republic of China)	535
Screening of nutrient digestibilities and intestinal pathologies in Atlantic salmon, <i>Salmo salar</i> , fed diets with legumes, oilseeds, or cereals M.A. Aslaksen, O.F. Kraugerud (CoE, Ås, Norway), M. Penn (CoE, Oslo, Norway), B. Svihus, V. Denstadli (CoE, Ås, Norway), H.Y. Jørgensen, M. Hillestad (Trondheim, Norway), Å. Kroghdahl (CoE, Oslo, Norway) and T. Storebakken (CoE, Ås, Norway)	541
Response of the black tiger shrimp, <i>Penaeus monodon</i> to feed containing the lupin alkaloid, gramine D.M. Smith, S.J. Tabrett, S.J. Irvin, J. Wakeling (Cleveland, Queensland, Australia), B.D. Glencross (North Beach, Western Australia, Australia) and D. Harris (East Perth, Western Australia, Australia)	556
Effect of a variety of animal, plant and single cell-based feed ingredients on diet digestibility and digestive enzyme activity in redclaw crayfish, <i>Cherax quadricarinatus</i> (Von Martens 1868) A. Pavasovic, A.J. Anderson, P.B. Mather and N.A. Richardson (Brisbane, Qld, Australia)	564
Effects of moderately oxidized dietary lipid and the role of vitamin E on the stress response in Atlantic halibut (<i>Hippoglossus hippoglossus</i> L.) D. Alves Martins (Halifax, Nova Scotia, Canada; Porto, Portugal), L.O.B. Afonso (Porto, Portugal), S. Hosoya (Halifax, Nova Scotia, Canada; Tokyo, Japan), L.M. Lewis-McCrea (Halifax, Nova Scotia, Canada), L.M.P. Valente (Porto, Portugal) and S.P. Lall (Halifax, Nova Scotia, Canada)	573
Molecular characterisation of the intestinal microbiota of farmed Atlantic salmon (<i>Salmo salar</i> L.) M.B. Hovda (Stavanger, Bergen, Norway), B.T. Lunestad (Bergen, Norway), R. Fontanillas and J.T. Rosnes (Stavanger, Norway)	581
Effects of total replacement of fish oil by vegetable oils on n-3 and n-6 polyunsaturated fatty acid desaturation and elongation in sharpnose seabream (<i>Diplodus puntazzo</i>) hepatocytes and enterocytes P.F. Almada-Pagán, M.D. Hernández, B. García García, J.A. Madrid, J. De Costa and P. Mendiola (Murcia, Spain)	589
Total replacement of fish meal with plant proteins in diets for Atlantic cod (<i>Gadus morhua</i> L.) I — Effects on growth and protein retention A.-C. Hansen (Bergen, Norway), G. Rosenlund (Stavanger, Norway), Ø. Karlsen (Storebø, Norway), W. Koppe (Stavanger, Norway) and G.-I. Hemre (Bergen, Norway)	599

Total replacement of fish meal with plant proteins in diets for Atlantic cod (<i>Gadus morhua</i> L.) II — Health aspects R.E. Olsen (Matredal, Norway), A.-C. Hansen (Bergen, Norway), G. Rozenlund (Stavanger, Norway), G.-I. Hemre (Bergen, Norway), T.M. Mayhew (UK), D.L. Knudsen (Stavanger, Norway), O.T. Eroldoğan (Adana, Turkey), R. Myklebust (Bergen, Norway) and Ø. Karlsen (Storebø, Norway)	612
Physiology and Endocrinology	
Na ⁺ /K ⁺ /2Cl ⁻ cotransporter and CFTR gill expression after seawater transfer in smolts (0 ⁺) of different Atlantic salmon (<i>Salmo salar</i>) families P.M. Mackie, K. Gharbi, J.S. Ballantyne (Guelph, ON NIG, Canada), S.D. McCormick (Turner Falls, Massachusetts, USA) and P.A. Wright (Guelph, ON NIG, Canada)	625
Effects of components in seawater on the digging behavior of the hard clam (<i>Meretrix lusoria</i>) A.-C. Lee, Y.-H. Lin, C.-R. Lin, M.-C. Lee and Y.-P. Chen (Chiayi, Taiwan)	636
Temperature effects on growth-ration relationships of juvenile sea cucumber <i>Apostichopus japonicus</i> (Selenka) Z. An, Y. Dong and S. Dong (Qingdao, People's Republic of China)	644
Recombinant tilapia Neuropeptide Y promotes growth and antioxidant defenses in African catfish (<i>Clarias gariepinus</i>) fry Y. Carpio, K. León, J. Acosta, R. Morales and M.P. Estrada (Havana, Cuba)	649
The effects of changes in salinity on osmoregulation and chloride cell morphology of juvenile Australian snapper, <i>Pagrus auratus</i> D.S. Fielder, G.L. Allan (Taylors Beach, NSW, Australia), D. Pepperall (Lambton, NSW, Australia) and P.M. Pankhurst (Townsville, Qld, Australia)	656
High antifreeze protein levels in wolffish (<i>Anarhichas lupus</i>) make them an ideal candidate for culture in cold, potentially ice laden waters M. Desjardins (Rimouski, Québec, St. John's, Newfoundland, Canada), N.R. Le François (Rimouski, Grande-Rivière, Québec, Australia), G.L. Fletcher (St. John's, Newfoundland, Canada) and P.U. Blier (Rimouski, Québec, Canada)	667
Histological study of the effects of treatment with gonadotropin-releasing hormone agonist (GnRHa) on the reproductive maturation of captive-reared Atlantic bluefin tuna (<i>Thunnus thynnus</i> L.) A. Corriero (Valenzano, Italy), A. Medina (Cádiz, Spain), C.C. Mylonas (Crete, Greece), F.J. Abascal (Cádiz, Spain), M. Deflorio (Valenzano, Italy), L. Aragón (Cádiz, Spain), C.R. Bridges (Düsseldorf, Germany), N. Santamaria (Valenzano, Italy), G. Heinisch (Eilat, Israel), R. Vassallo-Agius (Marsaxlokk, Malta), A. Belmonte (Cartagena, Spain), C. Fauvel (Palavas les Flots, France), A. Garcia (Puerto de Mazarrón, Spain), H. Gordin (Eilat, Israel) and G. De Metrio (Valenzano, Italy)	675
Effects of aquaculture production noise on hearing, growth, and disease resistance of rainbow trout <i>Oncorhynchus mykiss</i> L.E. Wysocki (MD, USA), J.W. Davidson III (Shepherdstown, WV, USA), M.E. Smith (MD, USA), A.S. Frankel (Arlington, VA, USA), W.T. Ellison (Middletown, RI, USA), P.M. Mazik (Margantown, WV, USA), A.N. Popper (MD, USA) and J. Bebak (Shepherdstown, WV, USA)	687
Non-invasive measurement of cortisol and melatonin in tanks stocked with seawater Atlantic salmon T. Ellis, J.D. James (Dorset, UK), H. Sundh (Göteborg, Sweden), F. Fridell (Bergen, Norway), K. Sundell (Göteborg, Sweden) and A.P. Scott (Dorset, UK)	698
Acute viral and bacterial infections elevate water cortisol concentrations in fish tanks T. Ellis, N. Bagwell, M. Pond, S. Baynes and A.P. Scott (Dorset, UK)	707
Vitamin E (α -tocopherol) production by the marine microalgae <i>Nannochloropsis oculata</i> (Eustigmatophyceae) in nitrogen limitation Y. Durmaz (Bornova Izmir, Turkey)	717
Effect of isoenergetic diets with different protein and lipid content on the growth performance and heat increment of rainbow trout E.J. Eliason, D.A. Higgs and A.P. Farrell (Vancouver, BC, Canada)	723
GnRHa-induced spawning of wild-caught spotted rose snapper <i>Lutjanus guttatus</i> L. Ibarra-Castro (Sinaloa, Mexico) and N.J. Duncan (Sinaloa, México; Sant Carles de la Ràpita Tarragona, Spain)	737
Effects of incubation temperature on embryonic development rate, sex ratio and post-hatching growth in the Chinese three-keeled pond turtle, <i>Chinemys reevesii</i> W.-G. Du, L.-J. Hu, J.-L. Lu and L.-J. Zhu (Hangzhou, People's Republic of China)	747
Slaughter quality and rigor contraction in farmed turbot (<i>Scophthalmus maximus</i>); a comparison between different stunning methods B. Roth (Bergen, Stavanger, Norway), A. Imsland (Bergen, Norway; Koparogur, Iceland), S. Gunnarsson (Kopavogur, Iceland) A. Foss (Bergen, Norway) and R. Schelvis-Smit (The Netherlands)	754
Short Communications	
Pathogenicity of marine birnavirus (MABV) on fingerlings of rock bream (<i>Oplegnathus fasciatus</i>) H.J. Kim, S.R. Kwon, E.H. Lee, Y.K. Nam, S.K. Kim and K.H. Kim (Pusan, South Korea)	762
Potential for hatchery broodstock conditioning of the Caribbean scallops <i>Argopecten nucleus</i> and <i>Nodipecten nodosus</i> L.A. Velasco and J. Barros (Santa Marta, Columbia)	767
Whole-body cortisol increases after direct and visual contact with a predator in zebrafish, <i>Danio rerio</i> L.J.G. Barcellos, F. Ritter, L.C. Kreutz, R.M. Quevedo, L.B. da Silva, A.C. Bedin, J. Finco (Caixa Postal, Brazil) and L. Cericato (Brazil) ...	774
Contents of Aquaculture, Volume 272	779

Contents (continued)

Primers for PCR-based detection of ostreid herpes virus-1 (OsHV-1): Application in a survey of New Zealand molluscs S.C. Webb, A. Fidler (Nelson, New Zealand) and T. Renault (La Tremblade, France)	126
Pharmacokinetics and residue elimination of oxytetracycline in grass carp, <i>Ctenopharyngodon idellus</i> Q. Zhang (Chongqing, Guangzhou, PR China) and X. Li (Chongqing, PR China).	140
Genomic structure of the Nile tilapia (<i>Oreochromis niloticus</i>) transferrin gene and a haplotype associated with saltwater tolerance A.H. Rengmark and F. Lingaas (Oslo, Norway)	146
Application of normalised resistance interpretation to disc diffusion data on the susceptibility of <i>Aeromonas salmonicida</i> to three quinolone agents N.M. Ruane, I. Douglas, M. Geary, C. Carroll, G.T.A. Fleming and P. Smith (Galway, Ireland).	156
Impact of inter-lab variation on the estimation of epidemiological cut-off values for disc diffusion susceptibility test data for <i>Aeromonas salmonicida</i> P. Smith, N.M. Ruane, I. Douglas, C. Carroll (Galway, Ireland), G. Kronvall (Stockholm, Sweden) and G.T.A. Fleming (Galway, Ireland)	168
Pharmacokinetics and tissue distribution of enrofloxacin and its metabolite ciprofloxacin in <i>Scylla serrata</i> following oral gavage at two salinities W.-h. Fang, S. Zhou, H.-j. Yu, L.-l. Hu, K. Zhou and S.-c. Liang (Shanghai, China)	180
Polyculture of green mussels, brown mussels and oysters with shrimp control luminous bacterial disease in a simulated culture system E.A. Tendencia (Iloilo, Philippines).	188
Residue depletion of tritium-labeled ivermectin in rainbow trout following oral administration B. Shaikh, N. Rummel, C. Gieseke, P.-S. Chu and R. Reimschuessel (Laurel Maryland, United States)	192
Cloning, characterization and expression analysis of a CXCL10-like chemokine from turbot (<i>Scophthalmus maximus</i>) Y. Liu, S.-L. Chen, L. Meng and Y.-X. Zhang (Qingdao, China)	199
Discovery of genes involved in defense/immunity functions in a haemocytes cDNA library from <i>Fenneropenaeus chinensis</i> by ESTs annotation B. Dong and J.-H. Xiang (Qingdao, China).	208
Neutralizing assay of monoclonal antibodies against white spot syndrome virus (WSSV) Y.-s. Jiang, W.-b. Zhan and X.-z. Sheng (Qingdao, PR China).	216
Application of Normalised Resistance Interpretation to the detection of multiple low-level resistance in strains of <i>Vibrio anguillarum</i> obtained from Greek fish farms P. Smith (Galway, Ireland) and P. Christofilogiannis (Athens, Greece)	223
Selection of probiotics by various inhibition test methods for use in the culture of western king prawns, <i>Penaeus latisulcatus</i> (Kishinouye) N. Van Hai, R. Fotedar (Bentley, Western Australia, Australia) and N. Buller (South Perth, Western Australia, Australia).	231
The effect of raising water temperature to 33 °C in <i>Penaeus vannamei</i> juveniles at different stages of infection with white spot syndrome virus (WSSV) M.M. Rahman (Gent, Merelbeke, Belgium), M. Corteel (Merelbeke, Belgium), M. Wille (Gent, Belgium), V. Alday-Sanz (Nivelles, Belgium), M.B. Pensaert (Merelbeke, Belgium), P. Sorgeloos (Gent, Belgium) and H.J. Nauwynck (Merelbeke, Belgium)	240
Antiviral activity of recombinant lysozyme expressed from black tiger shrimp, <i>Penaeus monodon</i> A. Tyagi, R. Khushiramani, I. Karunasagar and I. Karunasagar (Mangalore, India)	246
Genetics	
Effects of parental and smolt traits on the marine survival of released Atlantic salmon (<i>Salmo salar</i>) I. Kallio-Nyberg (Vaasa, Finland), I. Saloniemi (Turku, Finland) and M.-L. Koljonen (Helsinki, Finland) . . .	254
Genetic effects and genotype × environment interactions for growth-related traits in common carp, <i>Cyprinus carpio</i> L. C.-h. Wang and S.-f. Li (China)	267
Evaluation of the growth and heterosis of hybrids among three commercially important sea urchins in China: <i>Strongylocentrotus nudus</i> , <i>S. intermedius</i> and <i>Anthocardia crassispina</i> J. Ding, Y. Chang, C. Wang and X. Cao (Dalian, China)	273
Genetic mapping of size-related quantitative trait loci (QTL) in the bay scallop (<i>Argopecten irradians</i>) using AFLP and microsatellite markers Y. Qin, X. Liu, H. Zhang, G. Zhang (Qingdao, China) and X. Guo (Port Norris, NJ, USA).	281

Contents (continued)

Marker-assisted breeding of a lymphocystis disease-resistant Japanese flounder (<i>Paralichthys olivaceus</i>) K. Fuji (Tokyo, Japan), O. Hasegawa (Kanagawa, Japan), K. Honda, K. Kumasaka (Aichi, Japan), T. Sakamoto and N. Okamoto (Tokyo, Japan)	291
Husbandry and Management	
Simulating the effects of parameter uncertainty on waste model predictions of marine finfish aquaculture J. Chamberlain and D. Stucchi (Sidney, B.C., Canada)	296
Effects of tank colour and light intensity on feed intake, growth rate and energy expenditure of juvenile Eurasian perch, <i>Perca fluviatilis</i> L. Å. Strand, A. Alanärä, F. Staffan and C. Magnhagen (Umeå, Sweden)	312
Characterisation of bacterial communities associated with early stages of intensively reared cod (<i>Gadus morhua</i>) using Denaturing Gradient Gel Electrophoresis (DGGE) L. Brunvold, R.-A. Sandaa (Bergen, Norway), H. Mikkelsen (Tromsø, Norway), E. Welde (Kvaløysletta, Norway), H. Bleie and Ø. Bergh (Bergen, Norway)	319
Seasonal variation in feed intake under constant temperature and natural photoperiod in the green sea urchin (<i>Strongylocentrotus droebachiensis</i>) S.I. Siikavuopio, J.S. Christiansen, B.-S. Sæther and T. Dale (Tromsø, Norway)	328
Growth performance and physiological response of African catfish, <i>Clarias gariepinus</i> (B.) fed organic selenium prior to the exposure to environmental copper toxicity M. Abdel-Tawwab, M.A.A. Mousa and F.E. Abbass (Abo-Hammad, Egypt)	335
Biochemical composition of zooplankton community grown in freshwater earthen ponds: Nutritional implication in nursery rearing of fish larvae and early juveniles G. Mitra, P.K. Mukhopadhyay (Orissa, India) and S. Ayyappan (New Delhi, India)	346
Calcium carbonate supersaturation and precipitation in Chinese mitten crab (<i>Eriocheir japonica sinensis</i>) larval ponds in China: mass mortality, crystal form analysis, and safety saturation index X. Li (Qingdao, Panjin, PR China), Y. Lei (Dalian, PR China), X. Gao (Stoneville, Mississippi, USA), C. Ma (Dalian, PR China) and S. Dong (Qingdao, PR China)	361
Risk factors for early sexual maturation in Atlantic salmon in seawater farms in New Brunswick and Nova Scotia, Canada C.A. McClure, K.L. Hammell (Charlottetown, PE, Canada), M. Moore (St. George, NB, Canada), I.R. Dohoo and H. Burnley (Charlottetown, PE, Canada)	370
Effects of feeding, stocking density and water-flow rate on fecundity, spawning frequency and egg quality of Nile tilapia, <i>Oreochromis niloticus</i> (L.) G.G. Tsadik and A.N. Bart (Klong Luang, Thailand)	380
Survivorship and growth of the sea cucumber <i>Australostichopus (Stichopus) mollis</i> (Hutton 1872) in polyculture trials with green-lipped mussel farms M.J. Slater and A.G. Carton (New Zealand)	389
Feeding farmed salmon: Is organic better? N. Pelletier and P. Tyedmers (Halifax, Nova Scotia, Canada)	399
Effect of temperature on growth and survival of <i>Crassostrea corteziensis</i> spat during late-nursery culturing at the hatchery J.I. Cáceres-Puig, F. Abasolo-Pacheco, J.M. Mazón-Suastegui, A.N. Maeda-Martínez and P.E. Saucedo (La Paz, Mexico)	417
Improving <i>Argopecten purpuratus</i> culture in northern Chile: Results from the study of larval and post-larval stages in relation to environmental forcing M.C. Silva (Antofagasta, Chile), G. Thouzeau (Plouzané, France) and M. Avendaño (Antofagasta, Chile) . . .	423
Nutrition	
High growth efficiency occurs over a wide temperature range for juvenile barramundi <i>Lates calcarifer</i> fed a balanced diet R.S. Katersky and C.G. Carter (Launceston, Tasmania, Australia)	444
Dietary supplementation time with shrimp shell meal on red porgy (<i>Pagrus pagrus</i>) skin colour and carotenoid concentration C.T. Kalinowski, M.S. Izquierdo, D. Schuchardt and L.E. Robaina (Las Palmas, Spain)	451
Effects of dietary cellulose level on pellet quality and nutrient digestibilities in rainbow trout (<i>Oncorhynchus mykiss</i>) J.Ø. Hansen and T. Storebakken (Ås, Norway)	458

Contents (continued)

Replacement of fish meal with poultry by-product meal in practical diets for <i>Litopenaeus vannamei</i> , and digestibility of the tested ingredients and diets L.E. Cruz-Suárez, M. Nieto-López, C. Guajardo-Barbosa, M. Tapia-Salazar, U. Scholz and D. Ricque-Marie (Nuevo León, México)	466
Comparison of the lysine utilization efficiency in different plant protein sources supplemented with L-lysine · HCl in rainbow trout (<i>Oncorhynchus mykiss</i>) fry T.T. Nang Thu (Louvain-la-Neuve, Belgium, Hanoi, Vietnam), C. Parkouda (Louvain-la-Neuve, Belgium), S.d. Saeger (Gent, Belgium), Y. Larondelle and X. Rollin (Louvain-la-Neuve, Belgium)	477
Influence of conjugated linoleic acid (CLA) or tetradecylthioacetic acid (TTA) on growth, lipid composition, fatty acid metabolism and lipid gene expression of rainbow trout (<i>Oncorhynchus mykiss</i> L.) S.R. Kennedy (Stirling, UK), R. Bickerdike (Scotland, UK), R.K. Berge (Bergen, Norway), J.R. Dick and D.R. Tocher (Stirling, UK)	489
Phospholipids vs. neutral lipids: Effects on digestive enzymes in Atlantic cod (<i>Gadus morhua</i>) larvae P.-A. Wold, K. Hoehne-Reitan (Trondheim, Norway), C.L. Cahu, J.Z. Infante (Plouzané, France), J. Rainuzzo and E. Kjorsvik (Trondheim, Norway)	502
Effect of feeding intensity and feed composition on nutrient digestibility and production performance of common pandora (<i>Pagellus erythrinus</i>) in sea cages K. Kousoulaki (Elliniko, Athens, Greece), E. Miliou (Iera Odos, Greece), M. Apostolopoulou (Athens, Greece) and M.N. Alexis (Elliniko, Greece)	514
Growth and economic profit of gilthead sea bream (<i>Sparus aurata</i> , L.) fed sunflower meal N.B. Sánchez Lozano, A. Tomás Vidal, S. Martínez-Llorens, S. Nogales Mérida, J.E. Blanco, A. Moñino López, M. Pla Torres and M.J. Cerdá (Spain)	528
Effect of dietary lipid level on growth performance, feed utilization and digestive enzyme of juvenile ivory shell, <i>Babylonia areolata</i> Q.-C. Zhou, J.-B. Zhou, S.-Y. Chi, Q.-H. Yang and C.-W. Liu (Zhanjiang, People's Republic of China)	535
Screening of nutrient digestibilities and intestinal pathologies in Atlantic salmon, <i>Salmo salar</i> , fed diets with legumes, oilseeds, or cereals M.A. Aslaksen, O.F. Kraugerud (CoE, Ås, Norway), M. Penn (CoE, Oslo, Norway), B. Svihus, V. Denstadli (CoE, Ås, Norway), H.Y. Jørgensen, M. Hillestad (Trondheim, Norway), Å. Krogdahl (CoE, Oslo, Norway) and T. Storebakken (CoE, Ås, Norway)	541
Response of the black tiger shrimp, <i>Penaeus monodon</i> to feed containing the lupin alkaloid, gramine D.M. Smith, S.J. Tabrett, S.J. Irvin, J. Wakeling (Cleveland, Queensland, Australia), B.D. Glencross (North Beach, Western Australia, Australia) and D. Harris (East Perth, Western Australia, Australia)	556
Effect of a variety of animal, plant and single cell-based feed ingredients on diet digestibility and digestive enzyme activity in redclaw crayfish, <i>Cherax quadricarinatus</i> (Von Martens 1868) A. Pavasovic, A.J. Anderson, P.B. Mather and N.A. Richardson (Brisbane, Qld, Australia)	564
Effects of moderately oxidized dietary lipid and the role of vitamin E on the stress response in Atlantic halibut (<i>Hippoglossus hippoglossus</i> L.) D. Alves Martins (Halifax, Nova Scotia, Canada; Porto, Portugal), L.O.B. Afonso (Porto, Portugal), S. Hosoya (Halifax, Nova Scotia, Canada; Tokyo, Japan), L.M. Lewis-McCrea (Halifax, Nova Scotia, Canada), L.M.P. Valente (Porto, Portugal) and S.P. Lall (Halifax, Nova Scotia, Canada)	573
Molecular characterisation of the intestinal microbiota of farmed Atlantic salmon (<i>Salmo salar</i> L.) M.B. Hovda (Stavanger, Bergen, Norway), B.T. Lunestad (Bergen, Norway), R. Fontanillas and J.T. Rosnes (Stavanger, Norway)	581
Effects of total replacement of fish oil by vegetable oils on n-3 and n-6 polyunsaturated fatty acid desaturation and elongation in sharpsnout seabream (<i>Diplodus puntazzo</i>) hepatocytes and enterocytes P.F. Almada-Pagán, M.D. Hernández, B. García García, J.A. Madrid, J. De Costa and P. Mendiola (Murcia, Spain)	589
Total replacement of fish meal with plant proteins in diets for Atlantic cod (<i>Gadus morhua</i> L.) I — Effects on growth and protein retention A.-C. Hansen (Bergen, Norway), G. Rosenlund (Stavanger, Norway), Ø. Karlsen (Storebø, Norway), W. Koppe (Stavanger, Norway) and G.-I. Hemre (Bergen, Norway)	599
Total replacement of fish meal with plant proteins in diets for Atlantic cod (<i>Gadus morhua</i> L.) II — Health aspects R.E. Olsen (Matredal, Norway), A.-C. Hansen (Bergen, Norway), G. Rozenlund (Stavanger, Norway), G.-I. Hemre (Bergen, Norway), T.M. Mayhew (UK), D.L. Knudsen (Stavanger, Norway), O.T. Eroldogan (Adana, Turkey), R. Myklebust (Bergen, Norway) and Ø. Karlsen (Storebø, Norway)	612

Contents (continued)

Physiology and Endocrinology

Na ⁺ /K ⁺ /2Cl ⁻ cotransporter and CFTR gill expression after seawater transfer in smolts (0 ⁺) of different Atlantic salmon (<i>Salmo salar</i>) families P.M. Mackie, K. Gharbi, J.S. Ballantyne (Guelph, ON NIG, Canada), S.D. McCormick (Turner Falls, Massachusetts, USA) and P.A. Wright (Guelph, ON NIG, Canada)	625
Effects of components in seawater on the digging behavior of the hard clam (<i>Meretrix lusoria</i>) A.-C. Lee, Y.-H. Lin, C.-R. Lin, M.-C. Lee and Y.-P. Chen (Chiayi, Taiwan)	636
Temperature effects on growth-ration relationships of juvenile sea cucumber <i>Apostichopus japonicus</i> (Selenka) Z. An, Y. Dong and S. Dong (Qingdao, People's Republic of China)	644
Recombinant tilapia Neuropeptide Y promotes growth and antioxidant defenses in African catfish (<i>Clarias gariepinus</i>) fry Y. Carpio, K. León, J. Acosta, R. Morales and M.P. Estrada (Havana, Cuba)	649
The effects of changes in salinity on osmoregulation and chloride cell morphology of juvenile Australian snapper, <i>Pagrus auratus</i> D.S. Fielder, G.L. Allan (Taylors Beach, NSW, Australia), D. Pepperall (Lambton, NSW, Australia) and P.M. Pankhurst (Townsville, Qld, Australia)	656
High antifreeze protein levels in wolffish (<i>Anarhichas lupus</i>) make them an ideal candidate for culture in cold, potentially ice laden waters M. Desjardins (Rimouski, Québec, St. John's, Newfoundland, Canada), N.R. Le François (Rimouski, Grande-Rivière, Québec, Australia), G.L. Fletcher (St. John's, Newfoundland, Canada) and P.U. Blier (Rimouski, Québec, Canada)	667
Histological study of the effects of treatment with gonadotropin-releasing hormone agonist (GnRHa) on the reproductive maturation of captive-reared Atlantic bluefin tuna (<i>Thunnus thynnus</i> L.) A. Corriero (Valenzano, Italy), A. Medina (Cádiz, Spain), C.C. Mylonas (Crete, Greece), F.J. Abascal (Cádiz, Spain), M. Deflorio (Valenzano, Italy), L. Aragón (Cádiz, Spain), C.R. Bridges (Düsseldorf, Germany), N. Santamaria (Valenzano, Italy), G. Heinisch (Eilat, Israel), R. Vassallo-Agius (Marsaxlokk, Malta), A. Belmonte (Cartagena, Spain), C. Fauvel (Palavas les Flots, France), A. Garcia (Puerto de Mazarrón, Spain), H. Gordin (Eilat, Israel) and G. De Metrio (Valenzano, Italy)	675
Effects of aquaculture production noise on hearing, growth, and disease resistance of rainbow trout <i>Oncorhynchus mykiss</i> L.E. Wysocki (MD, USA), J.W. Davidson III (Sheperdstown, WV, USA), M.E. Smith (MD, USA), A.S. Frankel (Arlington, VA, USA), W.T. Ellison (Middletown, RI, USA), P.M. Mazik (Margantown, WV, USA), A.N. Popper (MD, USA) and J. Bebak (Sheperdstown, WV, USA)	687
Non-invasive measurement of cortisol and melatonin in tanks stocked with seawater Atlantic salmon T. Ellis, J.D. James (Dorset, UK), H. Sundh (Göteborg, Sweden), F. Fridell (Bergen, Norway), K. Sundell (Göteborg, Sweden) and A.P. Scott (Dorset, UK)	698
Acute viral and bacterial infections elevate water cortisol concentrations in fish tanks T. Ellis, N. Bagwell, M. Pond, S. Baynes, A.P. Scott (Dorset, UK)	707
Vitamin E (α -tocopherol) production by the marine microalgae <i>Nannochloropsis oculata</i> (Eustigmatophyceae) in nitrogen limitation Y. Durmaz (Bornova Izmir, Turkey)	717
Effect of isoenergetic diets with different protein and lipid content on the growth performance and heat increment of rainbow trout E.J. Eliason, D.A. Higgs and A.P. Farrell (Vancouver, BC, Canada)	723
GnRHa-induced spawning of wild-caught spotted rose snapper <i>Lutjanus guttatus</i> L. Ibarra-Castro (Sinaloa, Mexico) and N.J. Duncan (Sinaloa, México; Sant Carles de la Ràpita Tarragona, Spain)	737
Effects of incubation temperature on embryonic development rate, sex ratio and post-hatching growth in the Chinese three-keeled pond turtle, <i>Chinemys reevesii</i> W.-G. Du, L.-J. Hu, J.-L. Lu and L.-J. Zhu (Hangzhou, People's Republic of China)	747
Slaughter quality and rigor contraction in farmed turbot (<i>Scophthalmus maximus</i>); a comparison between different stunning methods B. Roth (Bergen, Stavanger, Norway), A. Imsland (Bergen, Norway; Koparogur, Iceland), S. Gunnarsson (Kopavogur, Iceland) A. Foss (Bergen, Norway) and R. Schelvis-Smit (The Netherlands)	754
Short Communications	
Pathogenicity of marine birnavirus (MABV) on fingerlings of rock bream (<i>Oplegnathus fasciatus</i>) H.J. Kim, S.R. Kwon, E.H. Lee, Y.K. Nam, S.K. Kim and K.H. Kim (Pusan, South Korea)	762
Potential for hatchery broodstock conditioning of the Caribbean scallops <i>Argopecten nucleus</i> and <i>Nodipecten nodosus</i> L.A. Velasco and J. Barros (Santa Marta, Columbia)	767

Contents (continued)

Whole-body cortisol increases after direct and visual contact with a predator in zebrafish, <i>Danio rerio</i> L.J.G. Barcellos, F. Ritter, L.C. Kreutz, R.M. Quevedo, L.B. da Silva, A.C. Bedin, J. Finco (Caixa Postal, Brazil) and L. Cericato (Brazil)	774
Contents of <i>Aquaculture</i>, Volume 272	779